VOLUME 69: AUTHOR INDEX

Acolet D, Harvey D. Low cost technology for the newborn in developing countries: *annotation*, **477** *fn*
Adams D *see* Shields MD *et al*
Agertoft L, Pedersen S. Importance of the inhalation device on the effect of budesonide, **130**
Ahmed ML *et al*. Evaluation of a district growth screening programme: the Oxford growth study, **361**
Al-Fawaz I, Ramia S. Decline in hepatitis B infection in sickle cell anaemia and beta-thalassaemia major, **594**
Aldridge J, Becker S. Children as carers: *current topic*, **459**
Allen AD *see* Ahmed ML *et al*
Allen MB *et al*. Changes in nocturnal oximetry after treatment of exacerbations in cystic fibrosis, **197**
Allman KG *et al*. Nitric oxide treatment for fulminant pulmonary hypertension, **449**
Amiel-Tison C *see* Gahagan S and Amiel-Tison C
Anagnostopoulos C *see* Feigelson J *et al*
Anderson EC *see* Booy R *et al*
Anderson G *see* Shield J *et al*
Andrew M *see* Soutar R *et al*
Ansell BM *see* David J *et al*
Anthony MY *et al*. Neonatal cerebral blood flow velocity responses to changes in posture, **304** *fn*
Appleton RE. Infantile spasms: *regular review*, **614**
Aramini L *see* De Benedetti F *et al*
Archer LNJ *see* Allman KG *et al*
Archer N. Patent ductus arteriosus in the newborn: *current topic*, **529** *fn*
Archivist
Cats in Connecticut, **680**
Cows' milk and diabetes, **268**
Cryptosporidium, **224**
Drugs, plants, packaging, poisoning, and preschool children, **419**
'Ecstasy', Ophelia, and the nightingale, **114**
Eczema and the yellow emperor, **147**
Experimental glomerulonephritis – a decorous approach to treatment, **380**
Human herpes virus-6 and febrile convulsions, **360**
Interferon alpha-2a and 'alarming haemangiomas', **124**
Maternal diet and medulloblastoma, **643**
Neonatal cerebral venous thrombosis, **389**
Newborns find too much prostaglandin hard to stomach, **387**
Of nymphs and nerves, **620**
Startle disease, **264**
Y chromosome in Turner's syndrome, **654**
Arnon S *et al*. Pulmonary inflammatory cells in ventilated preterm infants: effect of surfactant treatment, **44** *fn*
see also Grigg J *et al*
Asano Y *see* Suga S *et al*
Ascher H *et al*. Different features of coeliac disease in two neighbouring countries, **375**
Aston H *see* Clarke JR *et al*
Atra A *et al*. Remission death in acute lymphoblastic leukaemia: a changing pattern, **550**
Auricchio S *see* Cucchiara S *et al*
Aynsley-Green A *see* Wright CM *et al*
Azaz YEZ *see* Wigfield RE *et al*

Bacon C *see* Millar MR *et al*
Stansbridge EM *et al*
Baildam EM *et al*. Bronchocutaneous fistula associated with mechanical ventilation, **525** *fn*
Transient hyperphosphatasaemia of infancy and failure to thrive: *correspondence*, **470**
Bain MD *see* Chalmers RA and Bain MD
Ball CS *see* Gregorio GV *et al*
Bannister CM *et al*. Nasal endotracheal intubation in a premature infant with a nasal encephalocele, **81** *fn*
Barber A *see* Grigg J *et al*
Barker DP *et al*. Bilateral congenital diaphragmatic hernia – delayed presentation of the contralateral defect: *correspondence*, **543** *fn*
Barry PW *et al*. Optimum use of a spacer device, **693**
Barson AJ *see* D'Souza SW *et al*
Bauer K *et al*. Systolic blood pressure and blood volume in preterm infants, **521** *fn*
Bayston R *see* Hardy SP *et al*
Beath SV *et al*. New method for determining faecal fat excretion in infancy, **138**
Nutritional support in liver disease: *annotation*, **545**
Beattie RB, Whittle MJ. Doppler and fetal growth retardation: *annotation*, **271** *fn*
Beattie TJ *see* Burgner DP *et al*
Bechensteen AG *et al*. Erythropoietin, protein, and iron supplementation and the prevention of anaemia of prematurity, **19** *fn*
Becker S *see* Aldridge J and Becker S
Bedford H *et al*. National follow up of *Haemophilus influenzae* meningitis: *correspondence*, **711**
Beresford P *see* Shields MD *et al*
Beyers N *see* Schaaf HS *et al*
Bisset R *see* Couriel JM *et al*
Björklund LJ. Use of sedatives and muscle relaxants in newborn babies receiving mechanical ventilation: correspondence, **544** *fn*
Blau N *see* Hoppe B *et al*
Bol E *see* Cremers MJG *et al*
Bolton DPG *et al*. Rebreathing expired gases from bedding: a cause of cot death? **187**
Bonnerot V *see* Delacourt C *et al*
Book reviews
Ashwell M, *editor*. McCance and Widdowson – a scientific partnership of 60 years, 1993, **473**
Brook CGD, *editor*. The practice of medicine in adolescence, 1993, **473**
Bryan E. Twins and higher multiple births: a guide to their nature and nurture, 1992, **267**
Cox LA. A guide to the measurement and assessment of growth in children, 1993, **266**
David TJ, *editor*. Food and food additive intolerance in childhood, 1993, **473**
David TJ, *editor*. Recent advances in paediatrics 11. 1993, **473**
Feigin RD, Cherry JD, *editors*. Pediatric infectious diseases, vols 1 and 2. 3rd ed. 1992, **474**
Goldbloom RB, *editor*. Pediatric clinical skills, 1992, **475**
Hollingsworth DR. Pregnancy diabetes and birth. A management guide, 2nd ed. 1992, **475**
Medical Officers of Schools Association. The handbook of school health. 17th ed. 1992, **408**
Murphy JV, Dehkharghani F, *editors*. Handbook of pediatric epilepsy, 1993, **475**
Patrick CC, *editor*. Infections in immunocompromised infants and children, 1992, **266**
Poswillo D, Alberman E, *editors*. Effects of smoking on the fetus, neonate, and the child, 1992, **266**
Reisdorff E, Roberts M, Wiegenstein J, *editors*. Paediatric emergency medicine, 1992, **475**
Serjeant GR. Sickle cell disease, 2nd ed. 1992, **267**
Silverman FN, Kuhn JP. Caffey's pediatric x-ray diagnosis: an integrated imaging approach. vols 1 and 2. 9th ed. 1993, **475**
Thomas R, Harvey D. Colour guide – paediatrics, 1992, **267**
Weidemann HR, Kunze J, Dibbern H, *editors*. An atlas of clinical syndromes. A visual aid to diagnosis, 2nd ed. 1992, **474**
Winter RM, Baraitser M. Multiple congenital anomalies. A diagnostic compendium, 1992, **474**
Yu V, MacMahon R, *editors*. Intravenous feeding of the neonate, 1992, **332**
Bools CN *et al*. Follow up of victims of fabricated illness (Munchausen syndrome by proxy), **625**
Booth IW *see* Beath SV *et al*
Newell SJ *et al*
Booy R *et al*. Invasive *Haemophilus influenzae* type b disease in the Oxford region (1985-91), **225**
see also Hristeva L *et al*
Bowler I *see* Hristeva L *et al*
Boyd SG *see* Cross JH *et al*
Boys RJ *see* Skinner JR *et al*
Brocklebank JT, Wolfe S. Dietary treatment of renal insufficiency: *regular review*, **704**
Brown GA *see* Beath SV *et al*
Brownlee KG *et al*. Early or late parenteral nutrition for the sick preterm infant? **281** *fn*
see also Kelly EJ *et al*
Bruton J *see* Williams D *et al*
Buick RG *see* Nicholls G *et al*
Burgmeijer RJF *see* de Jonge GA *et al*
Burgner DP *et al*. *Clostridium difficile* after haemolytic uraemic syndrome, **239**
Butt W *see* Grattan-Smith PJ and Butt W

Cameron D, Lupton BA. Inadvertent brain penetration during neonatal nasotracheal intubation, **79** *fn*
Campanozzi A *see* Cucchiara S *et al*
Campbell AJ *see* Bolton DPG *et al*
Cant AJ *see* Hague RA *et al*
Carlin JB *see* Marks MK *et al*
Carlsen K-H *see* Kristjánsson S *et al*
Carlsen KCL *see* Kristjánsson S *et al*
Carpenter KH *see* Wilcken B *et al*
Carter CM *et al.* Effects of a few food diet in attention deficit disorder, **564**
Cartlidge PHT *see* Davis PM *et al*
Carty H. Radionuclide bone scanning: *regular review*, **160**
see also Davidson DC and Carty H
Cattarossi L *et al.* Aminophylline and increased activity of peripheral chemoreceptors in newborn infants, **52** *fn*
Chalmers RA, Bain MD. Hair loss in children: *correspondence*, **407**
Chamberlain MA. Physically handicapped school leavers: *current topic*, **399**
Chan KN, Silverman M. Increased airway responsiveness in children of low birth weight at school age: effect of topical corticosteroids, **120**
Chapman S *see* Ewer AK *et al*
Newell SJ *et al*
Chapple J *see* Mugford M and Chapple J
Chase A *see* Grigg J *et al*
Chatfield SL *see* Kelly EJ *et al*
Chen S *see* Stansbridge EM *et al*
Cheriyan E. Monitoring the vaccine cold chain, **600**
Chessells JM *see* Atra A *et al*
Chiswick ML *see* Baildam EM *et al*
Husain SM *et al*
Clark P *see* Tang W *et al*
Clarke JR *et al.* Delivery of salbutamol by metered dose inhaler and valved spacer to wheezy infants: effect on bronchial responsiveness, **125**
Clarke M *see* Couriel JM *et al*
Clarke MA *see* Ramesh V *et al*
Clayden GS *see* Housley E *et al*
Clayton PT *see* Phillips RJ *et al*
Cleary MA, Wraith JE. Management of mucopolysaccharidosis type III: *personal practice*, **403**
Clerico A *see* Nigro G *et al*
Cockburn F *see* Farquharson J *et al*
Coleman JE *see* Watson AR and Coleman JE
Coles EC *et al.* Cystic fibrosis identified by neonatal screening: incidence, genotype, and early natural history: *correspondence*, **470**
Collins JE *see* Thomas NH *et al*
Conlan P *see* Sharief N *et al*
Connelly A *see* Cross JH *et al*
Connett GJ *et al.* Audit strategies to reduce hospital admissions for acute asthma, **202**
Use of budesonide in severe asthmatics aged 1-3 years, **351**
Cooke RWI. Annual audit of three year outcome in very low birthweight infants, **295** *fn*
see also Shaw NJ *et al*
Corcoran JD *see* Halliday HL *et al*
Corkery JJ *see* Nicholls G *et al*
Coulthard MG *see* Morris KP *et al*
Counsell AM *see* Tuohy PG *et al*
Couriel JM *et al.* Assessment of feeding problems in neurodevelopmental handicap: a team approach: *personal practice*, **609**
Coward WA *see* McClean P *et al*
Cox TM. Iatrogenic deaths in hereditary fructose intolerance: *annotation*, **413**
Cremers MJG *et al.* Radiological assessment of the atlantoaxial distance in Down's syndrome: *correspondence*, **347**
Cresswell C *see* Bolton DPG *et al*
Crock CM *see* Phillips RJ *et al*
Cross JH *et al.* Early detection of abnormalities in partial epilepsy using magnetic resonance, **104**
Cucchiara S *et al.* Omeprazole and high dose ranitidine in the treatment of refractory reflux oesophagitis, **655**
Cunningham S *et al.* Cyclical variation of blood pressure and heart rate in neonates, **64** *fn*
Curran A *see* Phillips RJ *et al*

da Silva MC *see* Gunnlaugsson G *et al*
Daae L *see* Bechensteen AG *et al*
Dab I *et al.* Therapeutic bronchoscopy in ventilated neonates: *personal practice*, **533** *fn*
Dady IM *see* Baildam EM *et al*
Dagestani H *see* Bannister CM *et al*
Dalton M *see* Baildam EM *et al*
D'Armiento F *see* Cucchiara S *et al*
Daud LR *et al.* Psychosocial adjustment in preschool children with atopic eczema, **670**
David J *et al.* Polyarteritis nodosa associated with streptococcus, **685**
David TJ *see* Daud LR *et al*
Davidson DC, Carty H. The place of computed tomography and lumbar puncture in suspected bacterial meningitis: *correspondence*, **170**
Davies MP, Evans J. Surgery and benign facial lesions: *correspondence*, **619**
Davies PSW. Body composition assessment: *annotation*, **337**
Davies SC. Bone marrow transplantation for sickle cell disease: *annotation*, **176**
Davis PM *et al.* Persistent mild hip deformation in preterm infants, **597**
De Amici M *see* De Benedetti F *et al*
de Baets F *et al.* Magnetic resonance imaging in tracheal compression by the innominate artery, **390**
de Benedetti F, Martini A. Secondary thrombocytosis: *correspondence*, **170**
De Benedetti F *et al.* Correlation of serum neopterin concentrations with disease activity in juvenile dermatomyositis, **232**
de Blic J *see* Delacourt C *et al*
de Jonge GA *et al.* Sleeping position for infants and cot death in the Netherlands 1985-91, **660**
de L Costello AM *see* Pilkington C *et al*
de Louvois J *see* Bedford H *et al*
de Vries L *see* Jongmans M *et al*
Dear PRF *see* Brownlee KG *et al*
Kelly EJ *et al*
Deere S *see* Cunningham S *et al*
Delacourt C *et al.* Computed tomography with normal chest radiograph in tuberculous infection, **430**
Devane SP *see* Ravelli AM *et al*
Dhillon R *et al.* Management of Kawasaki disease in the British Isles, **631**
Dillon MJ *see* Phillips RJ *et al*
Dinneen MD, Duffy PG. The value of urodynamic studies: *annotation*, **177**
Dodd KL. *Children First* – the Audit Commission study of hospital services: *annotation*, **173**
Dodge JA *see* Coles EC *et al*
Domizio P *see* Latt TT *et al*
Donald PR *see* Schaaf HS *et al*
Doran R *see* Rayner RJ *et al*
Douek D *see* Hartnoll G *et al*
D'Souza SW *et al.* Glycine site of the excitatory amino acid N-methyl-D-aspartate receptor in neonatal and adult brain, **212**
Dubowitz L *see* Jongmans M *et al*
Duffy PG *see* Dinneen MD and Duffy PG
Dunger DB *see* Ahmed ML *et al*
Dunn PM. Dr Alfred Hart (1888-1954) of Toronto and exsanguination transfusion of the newborn: *perinatal lessons from the past*, **95** *fn*
Dr Thomas Radford (1793-1881) of Manchester and obstructed labour: *perinatal lessons from the past*, **327** *fn*
Hippocrates (460-*c* 356 BC) and the founding of perinatal medicine: *perinatal lessons from the past*, **540** *fn*

Eastham EJ *see* Hague RA *et al*
Ebbesen F *see* Thisted E and Ebbesen F
El Habbal MH, Strobel S. Leucocyte adhesion deficiency: *current topic*, **463**
Emery JL. The dangers of soft bedding for infants: *correspondence*, **711**
Emmerson AJB. Double blind trial of recombinant human erythropoietin in preterm infants: *correspondence reply*, **542** *fn*
Role of erythropoietin in the newborn: *annotation*, **273** *fn*
Engelberts AC *see* de Jonge GA *et al*
Esmail A *et al.* Deaths from volatile substance abuse in those under 18 years: results from a national epidemiological study, **356**
Evans DH *see* Anthony MY *et al*
Evans J *see* Davies MP and Evans J
Grundy R *et al*
Everett F *see* Waters KA *et al*
Ewer AK *et al.* Fetal echogenic gut: a marker of intrauterine gut ischaemia? **510** *fn*

Fagan E *see* Waters KA *et al*
Fairhurst J. Pressure reduction of intussusception: *correspondence*, **471**
Fanconi S *see* Hoppe B *et al*
Farquharson J *et al.* Effect of diet on infant subcutaneous tissue triglyceride fatty acids, **589**
Feigelson J *et al.* Liver cirrhosis in cystic fibrosis: *correspondence*, **407**
Fleming PJ *see* Barker DP *et al*
Wigfield RE *et al*
Forster I *see* Hoppe B *et al*
Franceschi M *see* Cucchiara S *et al*
Franco MT *see* Cucchiara S *et al*
Frank JD *see* Barker DP *et al*
Fuggle PW *see* Grant DB *et al*

Gadian DG *see* Cross JH *et al*
Gahagan S, Amiel-Tison C. Antenatal assessment of neurological impairment: *correspondence*, **542** *fn*
Gallagher TM. Regional anaesthesia for surgical treatment of inguinal hernia in preterm babies: *annotation*, **623**
Galland BC *see* Bolton DPG *et al*
Gamsu HR *see* Kempley ST and Gamsu HR
Garralda ME *see* Daud LR *et al*
Gaynor JW *see* Miller OI *et al*
Geddis DC *see* Tuohy PG *et al*
Gibb D *see* Shield J *et al*
Gibson AT *et al.* Growth retardation after dexamethasone administration: assessment by knemometry, **505** *fn*
Knemometry and the assessment of growth in premature babies, **498** *fn*
Gibson BES *see* Lennard L *et al*
Gie RP *see* Schaaf HS *et al*
Gill AB, Weindling AM. Randomised controlled trial of plasma protein fraction versus dopamine in hypotensive very low birthweight infants, **284** *fn*
see also Shaw NJ *et al*
Gillies E *see* Gustafsson P *et al*
Gilsanz F *et al.* Fetal anaemia due to pyruvate kinase deficiency, **523** *fn*
Gold M *see* Gustafsson P *et al*
Goldacre M *see* Henderson J *et al*
Gomez-Castillo E *see* Gilsanz F *et al*
Goodyear HM *et al.* Mycobacterial infection in an inner city children's hospital, **229**
Goossens A *see* Dab I *et al*
Gornall P *see* Nicholls G *et al*
Graham PJ *see* Carter CM *et al*
Grant DB *et al.* Increased plasma thyroid stimulating hormone in treated congenital hypothyroidism: relation to severity of hypothyroidism, plasma thyroid hormone status, and daily dose of thyroxine, **555**
Grant J *see* Raine J and Grant J
Grattan-Smith PJ, Butt W. Suppression of brainstem reflexes in barbiturate coma, **151**
Green A *see* Honeyman MM *et al*
Green M *see* Hartley R *et al*
Green MR *see* McClean P *et al*
Greenwood BM *see* Jones RJ *et al*
Gregg J *see* Pearson M *et al*
Gregorio GV *et al.* Effect of rifampicin in the treatment of pruritus in hepatic cholestasis, **141**
Griffiths DM *see* Wheeler RA *et al*
Grigg J *et al.* Bronchoalveolar lavage fluid glutathione in intubated premature infants, **49** *fn*
Inflammatory cells in the lungs of premature infants on the first day of life: perinatal risk factors and origin of cells, **40** *fn*
see also Arnon S *et al*
Grøgaard J *see* Bechensteen AG *et al*
Grønn M *see* Bechensteen AG *et al*
Grundy R *et al.* Practical management of pain in sickling disorders: *personal practice*, **256**
Guazzo EP. Recent advances in paediatric neurosurgery: *annotation*, **335**
Gunnlaugsson G *et al.* Age at breast feeding start and postneonatal growth and survival, **134**
Gustafsson P *et al.* Comparison of the efficacy and safety of inhaled fluticasone propionate 200 mug/day with inhaled beclomethasone dipropionate 400 mug/day in mild and moderate asthma, **206**

Hågå P *see* Bechensteen AG *et al*
Hague RA *et al.* Resolution of hepatic abscess after interferon gamma in chronic granulomatous disease, **443**
Halket S *see* Bedford H *et al*
Hall MA *see* Millar MR *et al*
Stansbridge EM *et al*
Hall SM *see* Dhillon R *et al*
Halliday HL *et al.* Multicentre randomised trial comparing high and low dose surfactant regimens for the treatment of respiratory distress syndrome (the Curosurf 4 trial), **276** *fn*
Halvorsen S *see* Bechensteen AG *et al*
Hammond J *see* Wilcken B *et al*
Harding M *see* McClean P *et al*
Hardy SP *et al.* Prolonged carriage of *Clostridium difficile* in Hirschsprung's disease, **221**
Harper JI *see* Phillips RJ *et al*
Harris L *see* Davis PM *et al*
Hartley R *et al.* Pharmacokinetics of morphine infusion in premature neonates, **55** *fn*
Hartnoll G *et al.* Near fatal ingestion of oil of cloves, **392**
Harvey D *see* Acolet D and Harvey D
Bedford H *et al*
Hata Y *see* Ichikawa M *et al*
Hayhurst GK *see* Thomson APJ and Hayhurst GK
Heads A *see* Skinner JR *et al*
Healy MJR. Data transformations: *statistics from the inside*, **260**
Hedges A *see* Malathi I *et al*
Heick HMC *see* Hughes-Benzie R *et al*
Hellebostad M *see* Bechensteen AG *et al*
Helps B-A *see* Ravelli AM *et al*
Hemsley R *see* Carter CM *et al*
Henderson J *et al.* Use of hospital inpatient care in adolescence, **559**
Henderson S *see* Jongmans M *et al*
Hesse A *see* Hoppe B *et al*
Heyderman RS. Overwhelming sepsis presenting as sudden unexpected death: *commentary*, **383**
Hodgson SA *see* Booy R *et al*
Holm K *see* Ascher H *et al*
Holmes H. Snoring, sleep disturbance, and behaviour in 4-5 year olds: *correspondence*, **265**
Holton JB *see* Honeyman MM *et al*
Honeyman MM *et al.* Galactosaemia: results of the British Paediatric Surveillance Unit study, 1988-90, **339**
Hoogenboezem J *see* de Jonge GA *et al*
Hooley IMN *see* Beath SV *et al*
Hoppe B *et al.* Urinary saturation and nephrocalcinosis in preterm infants: effect of parenteral nutrition, **299** *fn*
Hopper JL. The Australian NHMRC Twin Registry: a resource for paediatric research: *correspondence*, **472**
Horimoto N *et al.* Can brain impairment be detected by in utero behavioural patterns? **3** *fn*
Housley E *et al.* MRCP (UK) Part 1 examination: new arrangements: *correspondence*, **266**
Howard ER *see* Stringer MD *et al*
Howard R. Preoperative and postoperative pain control: *personal practice*, **699**
see also Grundy R *et al*
Howell TE *see* Wigfield RE *et al*
Howells DW *see* MacPhee GB *et al*
Hristeva L *et al.* Prospective surveillance of neonatal meningitis, **14** *fn*
Value of cerebrospinal fluid examination in the diagnosis of meningitis in the newborn, **514** *fn*
Hughes-Benzie R *et al.* Crigler-Najjar syndrome type I: management with a phototherapy crib mattress: *correspondence*, **470**
Hunter S *see* Skinner JR *et al*
Hurley R *see* Bedford H *et al*
Husain SM *et al.* Measurement of ionised calcium concentration in neonates, **77** *fn*
Hussain S *see* Barker DP *et al*
Hutchison T. Parental participation in case conferences: the case in favour: *controversy*, **455**

Ichikawa M *et al.* Immunoadsorption plasmapheresis for severe generalised myasthenia gravis, **236**
Iervolino C *see* Cucchiara S *et al*

Jackson AA *see* Wheeler RA *et al*
Jackson GD *see* Cross JH *et al*
Jacobs DE *see* Wigfield RE *et al*
James J *see* Wilkinson H and James J
Jamieson EC *see* Farquharson J *et al*
Jenkins S *see* Lissauer T *et al*
Jolleff N, Ryan MM. Communication development in Angelman's syndrome, **148**
Jones MO *see* Pierro A *et al*
Jones RJ *et al.* Screening for a raised rectal temperature in Africa, **437**
Jongmans M *et al.* Duration of periventricular densities in preterm infants and neurological outcome at 6 years of age, **9** *fn*
Jorgensen M *see* Pedersen JL *et al*

Kant S *see* Murmu LR and Kant S
Kardouni K *see* Sedaghatian MR and Kardouni K
Kashab M *see* Bannister CM *et al*
Keen DV. Helping the young visually impaired: a view from the community: *personal practice*, **467**
Keiding N *see* Pedersen JL *et al*
Kelly DA *see* Beath SV *et al*
Kelly EJ *et al.* The effect of intravenous ranitidine on the intragastric pH of preterm infants receiving dexamethasone, **37** *fn*
see also Brownlee KG *et al*; Newell SJ and Kelly EJ
Kelsey A *see* Ramesh V *et al*
Kempley ST, Gamsu HR. Changes in cerebral artery blood flow velocity after intermittent cerebrospinal fluid drainage, **74** *fn*
Kendall-Smith SC *see* Brownlee KG *et al*
Kennedy CR. Acquired protein S deficiency: *correspondence*, **265**
Khan K *see* Sharief N *et al*
King A *see* Hristeva L *et al*
Kingston HM *see* Ramesh V *et al*
Kirkham FJ *see* Cross JH *et al*

Kitchen ND *see* Thomas DGT and Kitchen ND
Koh C-S *see* Ichikawa M *et al*
Kolvin I *see* Reid S and Kolvin I
Kombo BB *see* Mangete EDO *et al*
Komiyama A *see* Ichikawa M *et al*
Kostense PJ *see* de Jonge GA *et al*
Koyanagi T *see* Horimoto N *et al*
Kristiansson B *see* Ascher H *et al*
Kristjánsson S *et al*. Nebulised racemic adrenaline in the treatment of acute bronchiolitis in infants and toddlers, **650**
Kumar L *see* Singh M and Kumar L

Lackmann G-M, Töllner U. Aneurysmal cyst of the petrosal bone, **241**
Lallemand D *see* Delacourt C *et al*
Lama M. Hepatic abscess in sickle cell anaemia: a rare manifestation, **242**
Larcher VF *see* Goodyear HM *et al*
Lask BD *see* Ravelli AM *et al*
Latt TT *et al*. Rectal bleeding and polyps, **144**
Lau J *see* Sung RYT *et al*
Lee REJ *see* Hague RA *et al*
Leeming JP *see* Malathi I *et al*
Lefèvre M *see* Rozé JC *et al*
Legg-Jack TE *see* Mangete EDO *et al*
Lennard L *et al*. Congenital thiopurine methyltransferase deficiency and 6-mercaptopurine toxicity during treatment for acute lymphoblastic leukaemia, **577**
Lenney W *see* Connett GJ *et al*
Leonard JV *see* Honeyman MM *et al*
Leslie RDG *see* Peakman M *et al*
Lessing DN *see* Tatman MA and Lessing DN
Leumann E *see* Hoppe B *et al*
Levene MI. Fetal activity, behaviour, and neurology: fact or fiction? *annotation*, **1** *fn*
see also Anthony MY *et al*; Hartley R *et al*; Rushforth JA and Levene MI
Levin M. Management of Kawasaki disease in the British Isles: *commentary*, **631**
Lewis MA *see* Baildam EM *et al*
Liestol K *see* Bechensteen AG *et al*
Lilleyman JS *see* Lennard L *et al*
Lin J-P, Uttley WS. Intra-atrial calcium infusions, growth, and development in end organ resistance to vitamin D, **689**
Lindemann R *see* Bechensteen AG *et al*
Linderkamp O *see* Bauer K *et al*
Lissauer T *et al*. Influence of homelessness on acute admissions to hospital, **423**
Littlewood JM *see* Allen MB *et al*
Lloyd BW. Do paediatricians use problems lists when writing to general practitioners? *correspondence*, **265**
Lloyd DA *see* Pierro A *et al*
Logan RW *see* Farquharson J *et al*
MacPhee GB *et al*
Lupton BA *see* Cameron D and Lupton BA

Macagno F *see* Cattarossi L *et al*
McCabe R *see* Wigfield RE *et al*
McClean P *et al*. Measurement of fat digestion in early life using a stable isotope breath test, **366**
McConnell SE *see* D'Souza SW *et al*
Macfarlane JA *see* Ahmed ML *et al*
McHugo JM *see* Ewer AK *et al*
McIntosh N *see* Cunningham S *et al*
MacPhee GB *et al*. Malonyl coenzyme A decarboxylase deficiency, **433**
Macrae DJ *see* Miller OI *et al*
McWhinnie AM *see* Turnpenny PD *et al*
Maeda H *see* Horimoto N *et al*
Maingueneau C *see* Rozé JC *et al*
Mäki M *see* Ascher H *et al*
Makowiecka K *see* Pearson M *et al*
Malathi I *et al*. Skin disinfection in preterm infants, **312** *fn*
Malfroot A *see* Dab I *et al*
Mangete EDO *et al*. Thoracic empyema: a study of 56 patients, **587**
Mani TM *see* Delacourt C *et al*
Mantilla L *see* Carter CM *et al*
Marcovitch H. Managemnt of recurrent abdominal pain: *commentary*, **409**
Marks MK *et al*. Reference ranges for respiratory rate measured by thermistry (12-84 months), **569**
Marlow N *see* Malathi I *et al*
Martini A *see* de Benedetti F and Martini A
de Benedetti F *et al*
Marzinotto V *see* Soutar R *et al*
Matthews JNS *see* Nicholson WR *et al*
Mayon-White RT *see* Booy R *et al*
Meadow R. Munchausen syndrome: *correspondence reply*, **619**
Meadow SR *see* Bools CN *et al*
Mellon AF *see* Allen MB *et al*
Mellor DH. The place of computed tomography and lumbar puncture in suspected bacterial meningitis: *correspondence*, **170**
Melville C *see* Shield J *et al*
Meyer L *see* Esmail A *et al*
Mieli-Vergani G *see* Gregorio GV *et al*
Milla P *see* Shield J *et al*
Milla PJ *see* Ravelli AM *et al*
Millar MR *et al*. Enteral feeding of premature infants with *Lactolbacillus GG*, **483** *fn*
see also Malathi I *et al*; Stansbridge EM *et al*
Miller OI *et al*. Inhaled nitric oxide for pulmonary hypertension after repair of exomphalos, **518** *fn*
Miller R *see* Couriel JM *et al*
Minami T *see* Horimoto N *et al*
Minella R *see* Cucchiara S *et al*
Mitchell JS *see* MacPhee GB *et al*
Modi N. Sodium intake and preterm babies: *current topic*, **87** *fn*
Training overseas graduates in neonatal intensive care: *personal view*, **538** *fn*
see also Tang W *et al*
Mondaini C *see* Nigro G *et al*
Moore D *see* Hartnoll G *et al*
Moore-Gillon JC *see* Goodyear HM *et al*
Morison S *see* Coles EC *et al*
Morris KP *et al*. Non-cardiac benefits of human recombinant erythropoietin in end stage renal failure and anaemia, **580**
Mountford R *see* Ramesh V *et al*
Mouzard A *see* Rozé JC *et al*
Mowat AP *see* Gregorio GV *et al*
Stringer MD *et al*
Moxon ER *see* Booy R *et al*
Mugford M, Chapple J. How have recent changes in the NHS affected perinatal audit? *current topic*, **322** *fn*
Mughal MZ *see* Baildam EM *et al*
Husain SM *et al*
Müller J *see* Pedersen JL *et al*
Munck A *see* Feigelson J *et al*
Murmu LR, Kant S. Injury epidemiology: emerging statistics and strategy: *correspondence*, **471**
Murphy MS. Management of recurrent abdominal pain: *annotation*, **409**

Nadin PS *see* Wigfield RE *et al*
Nakano H *see* Horimoto N *et al*
Navarro J *see* Feigelson J *et al*
Neale BA *see* Bools CN *et al*
Neuhaus T *see* Hoppe B *et al*
Neville BGR *see* Cross JH *et al*
Newell SJ *et al*. Ultrasonic assessment of gastric emptying in the preterm infant, **32** *fn*
Newell SJ, Kelly EJ. Ranitidine in infants: *correspondence*, **544** *fn*
see also Ewer AK *et al*; Kelly EJ *et al*
Newton L *see* Dhillon R *et al*
Ng PC *see* Brownlee KG *et al*
Kelly EJ *et al*
Nicholl R *see* Latt TT *et al*
Nicholls G *et al*. Is specialist centre delivery of gastroschisis beneficial? **71** *fn*
Nicholson RH. Double blind trial of recombinant human erythropoietin in preterm infants: *correspondence*, **542** *fn*
Nicholson WR *et al*. Ambulatory blood pressure monitoring, **681**
Nicole T *see* Lennard L *et al*
Nielsen CT *see* Pedersen JL *et al*
Nigro G *et al*. Symptomatic congenital cytomegalovirus infection in two consecutive sisters, **527** *fn*
Noblett HR *see* Barker DP *et al*
Noronha MJ *see* Ramesh V *et al*
Novelli V *see* Shield J *et al*
Nysom K *see* Pedersen JL *et al*

O'Callaghan C *see* Barry PW *et al*
O'Dempsey TJ *see* Jones RJ *et al*
Offringa M *see* Tissing WJE *et al*
Omeñaca F *see* Gilsanz F *et al*
Oppenheimer SJ *see* Sung RYT *et al*
Ormerod LP, Palmer C. Tuberculin reactivity after neonatal percutaneous BCG immunisation, **155**
O'Sullivan J *see* Skinner JR *et al*
O'Sullivan JJ *see* Nicholson WR *et al*
Oudesluys-Murphy AM. Delayed umbilical cord separation in alloimmune neutropenia: *correspondence*, **331** *fn*
Ozaki T *see* Suga S *et al*

Page RL *see* Allen MB *et al*
Palmer C *see* Ormerod LP and Palmer C
Pardou A *see* Wayenberg J-L *et al*
Patrick WA *see* Farquharson J *et al*
Patterson CC *see* Halliday HL *et al*
Peakman M *et al*. Immunological studies on type 1 diabetes in identical twins: *annotation*, **97**
Pearce J. Child health surveillance for psychiatric disorder: practical guidelines, **394**
Pearse RG *see* Gibson AT *et al*
Pearson M *et al*. Primary immunisations in Liverpool. I: Who withholds consent? **110**. II: Is there a gap between consent and completion? **115**
Pecau Y *see* Feigelson J *et al*
Peckham C *see* Bedford H *et al*
Pedersen JL *et al*. Spermaturia and puberty, **384**
Pedersen S *see* Agertoft L and Pedersen S
Phillips RJ *et al*. Cystic fibrosis presenting as kwashiorkor with florid skin rash, **446**
Pierro A *et al*. A method for urine collection in infants, **85** *fn*
Pilkington C *et al*. Development of IgG responses to mycobacterial antigens, **644**
Pitt MC *see* Cross JH *et al*
Placzek M *see* Bannister CM *et al*
Poets CF *see* Southall DP *et al*
Pottier A *see* Esmail A *et al*
Pouquet M *see* Feigelson J *et al*
Prabhu PU *see* Stewart BJA and Prabhu PU
Price EH *see* Goodyear HM *et al*
Price JF *see* Stringer MD *et al*
Primhak R *see* Gustafsson P *et al*
Primhak RA *et al*. Pneumococcal infection in the newborn, **317** *fn*
Primrose JN *see* Kelly EJ *et al*
Pritchard J *see* Shafford EA and Pritchard J
Puntis JWL. Assessment of pancreatic exocrine function: *annotation*, **99**
Dual marker one day pancreolauryl test: *correspondence*, **471**
Puri P *see* Sweed Y and Puri P

Quinn M *see* Hartley R *et al*

Radford M *see* Gustafsson P *et al*
Raftopoulos Ch *see* Wayenberg J-L *et al*
Raine J, Grant J. A career in paediatrics? A survey of paediatric senior house officers in England and Wales: *correspondence*, **472**
Raine PAM. Is specialist centre delivery of gastroschisis beneficial? *commentary*, **71** *fn*
Ramesh V *et al*. Occurrence of Duchenne dystrophy in Klinefelter's syndrome, **453**
Ramia S *see* Al-Fawaz I and Ramia S
Ramos L *see* Cremers MJG *et al*
Ravelli AM *et al*. Normal gastric antral myoelectrical activity in early onset anorexia nervosa, **342**
Rayner RJ *et al*. Isolated vitamin E deficiency and progressive ataxia, **602**
Refsum H *see* Bechensteen AG *et al*
Rehan VK, Seshia MMK. Spinal cord birth injury – diagnostic difficulties: *personal practice*, **92** *fn*
Reid M. Epilepsy in children and the risk of drowning: *correspondence*, **471**
Reid MM. Rapid diagnosis of malignancy using flow cytometry: *correspondence*, **170**
Reid S, Kolvin I. Group psychotherapy for children and adolescents, **244**
Rfidah H *see* Burgner DP *et al*
Richards SM *see* Atra A *et al*
Richman S *see* Lissauer T *et al*
Rikken B, Witt JM. Prepubertal height velocity references over a wide age range: *correspondence*, **170**
Riordan FAI, Thomson APJ. Early presentation of meningococcal disease after media publicity: *correspondence*, **711**
Robb SA *see* Thomas NH *et al*
Robertson CF *see* Barry PW *et al*
Robinson R *see* Davis PM *et al*
Robinson RO *see* Thomas NH *et al*
Rogers M *see* Pearson M *et al*
Rook GAW *see* Pilkington C *et al*
Roussounis SH *see* Rayner RJ *et al*
Rozé JC *et al*. Response to dobutamine and dopamine in the hypotensive very preterm infant, **59** *fn*
Rubini S *see* Cattarossi L *et al*
Rudd PT *see* Dhillon R *et al*
Ruiz-Balda JA *see* Gilsanz F *et al*
Ruperto N *see* De Benedetti F *et al*
Rushforth JA, Levene MI. Effect of sucrose on crying in response to heel stab, **388**
Russell G. Asthma and growth: *current topic*, **695**
Ryan MM *see* Jolleff N and Ryan MM

Saeed M *see* Shaw NJ *et al*
Samuels MP *see* Southall DP *et al*
Satoh S *see* Horimoto N *et al*
Saugstad OD *see* Bechensteen AG *et al*
Savage MO *see* Goodyear HM *et al*
Sayeg N *see* Delacourt C *et al*
Schaaf HS *et al*. Tuberculosis in infants less than 3 months of age, **371**
Scheimberg I *see* Shield J *et al*
Scheinmann P *see* Delacourt C *et al*
Seal DV *see* Burgner DP *et al*
Sedaghatian MR, Kardouni K. Tuberculin response in preterm infants after BCG vaccination at birth, **309** *fn*
Seshia MMK *see* Rehan VK and Seshia MMK
Shafford EA, Pritchard J. Extreme thrombocytosis as a diagnostic clue to hepatoblastoma: *correspondence*, **171**
Sharief N *et al*. Overwhelming sepsis presenting as sudden unexpected death, **381**
Sharma A *see* Ahmed ML *et al*
Thakker PB and Sharma A
Sharp J *see* Morris KP *et al*
Shaw NJ *et al*. Randomised trial of routine versus selective paralysis during ventilation for neonatal respiratory distress syndrome, **479** *fn*
see also Shaw NJ *et al*
Shield J *et al*. Bovine colostrum immunoglogulin concentrate for cryptosporidiosis in AIDS, **451**
Shields MD *et al*. Is hearing assessed after bacterial meningitis? *correspondence*, **712**
Sillence D *see* Waters KA *et al*
Silverman M *see* Arnon S *et al*
Chan KN and Silverman M
Clarke JR *et al*
Grigg J *et al*
Simmonds EJ *see* Allen MB *et al*
Simpson SA *see* Turnpenny PD *et al*
Sims DG *see* Husain SM *et al*
Singh M, Kumar L. Continuous nebulised salbutamol and oral once a day prednisolone in status asthmaticus, **416**
Sinha S *see* Smith H and Sinha S
Skakkebaek NE *see* Pedersen JL *et al*
Skeffington FS. Parental participation in case conferences: the case against: *controversy*, **455**
Skinner JR *et al*. Right heart pressure determination by Doppler in infants with tricuspid regurgitation, **216**
Skuse D. Identification and management of problem eaters: *personal practice*, **604**
Slack MPE *see* Booy R *et al*
Slater P *see* D'Souza SW *et al*
Smedman L *see* Gunnlaugsson G *et al*
Smets A *see* de Baets F *et al*
Smith H, Sinha S. Varicella zoster virus infection in pregnancy: *correspondence*, **330** *fn*
Smith I *see* Grant DB *et al*
Smith SL *see* Millar MR *et al*
Stansbridge EM *et al*
Smuts N *see* Schaaf HS *et al*
Soutar R *et al*. Overtight nappy precipitating thrombosis in anti-thrombin III deficiency, **599**
South M *see* Marks MK *et al*
Southall DP *et al*. Neonatal respiratory distress syndrome: *correspondence*, **330** *fn*
Spencer NJ. Influence of homelessness on acute admissions to hospital: *commentary*, **423**
Spencer RC *see* Primhak RA *et al*
Spitz L *see* Hardy SP *et al*
Stringer MD and Spitz L
Sprij AJ *see* de Jonge GA *et al*
Srivatsa KM. Chicken scratches: *correspondence*, **408**
Stanford JL *see* Pilkington C *et al*
Stansbridge EM *et al*. Effects of feeding premature infants with *Lactobacillus GG* on gut fermentation, **488** *fn*
Steel N. Should we look after babies less than 800 g: *correspondence*, **543** *fn*
Stevens JE *see* Allman KG *et al*
Stewart AJ *see* Wigfield RE *et al*
Stewart BJA, Prabhu PU. Reports of sensorineural deafness after measles, mumps, and rubella immunisation, **153**
Strannegaard I-L *see* Kristjánsson S *et al*
Stringer MD, Spitz L. Surgical management of neonatal necrotising enterocolitis: *annotation*, **269** *fn*
Stringer MD *et al*. Liver cirrhosis in cystic fibrosis: *correspondence*, **407**
Strobel S *see* Carter CM *et al*
El Habbal MH and Strobel S

Stuart AG *see* Skinner JR *et al*
Suga S *et al*. Effect of oral acyclovir against primary and secondary viraemia in incubation period of varicella, **639**
Sullivan CE *see* Waters KA *et al*
Sundal E *see* Bechensteen AG *et al*
Sung RYT *et al*. Treatment of respiratory syncytial virus infection with recombinant interferon alfa-2a, **440**
Sweed Y, Puri P. Congenital diaphragmatic hernia: influence of associated malformations on survival, **68** *fn*

Taeymans Y *see* de Baets F *et al*
Takashima T *see* Horimoto N *et al*
Tam JS *see* Sung RYT *et al*
Tang W *et al*. Dilution kinetics of $H_2^{18}O$ for the measurement of total body water in preterm babies in the first week after birth, **28** *fn*
Tanner MS *see* Primhak RA *et al*
Tarnow-Mordi WO *see* Halliday HL *et al*
Tasker RC *see* Miller OI *et al*
Tatman MA, Lessing DN. Can we improve diabetes care in schools? **450**
Tatman MA, Woodroffe C. Paediatric home care in the UK, **677**
Taylor B *see* Lissauer T *et al*
Taylor BJ *see* Bolton DPG *et al*
Taylor E *see* Carter CM *et al*
Taylor WG, Walkinshaw SA. Antenatal assessment of neurological impairment: *correspondence reply*, **542** *fn*
Teller WM. Munchausen syndrome: *correspondence*, **619**
Tempia M *see* Lissauer T *et al*
Thakker PB, Sharma A. Becker muscular dystrophy: an unusual presentation, **158**
Thisted E, Ebbesen F. Malformations, withdrawal manifestations, and hypoglycaemia after exposure to valproate in utero, **288** *fn*
Thomas A *see* Couriel JM *et al*
Thomas DGT, Kitchen ND. Stereotactic techniques for brain biopsies: *annotation*, **621**
Thomas NH *et al*. *Mycoplasma pneumoniae* infection and neurological disease, **573**
Thomson APJ, Hayhurst GK. Press publicity in meningococcal disease: *personal practice*, **166**
see also Riordan FAI and Thomson APJ
Thorburn DR *see* MacPhee GB *et al*
Tissing WJE *et al*. Severity of respiratory syncytial virus infections and immunoglobulin concentrations, **156**
Tohier C *see* Rozé JC *et al*
Tohyama M *see* Ichikawa M *et al*
Töllner U *see* Lackmann G-M and Töllner U
Tsanakas J *see* Gustafsson P *et al*
Tsotsis E *see* MacPhee GB *et al*
Tsuno T *see* Ichikawa M *et al*
Tuohy PG *et al*. Sociodemographic factors associated with sleeping position and location, **664**
Turnpenny PD *et al*. Adoption, genetic disease, and DNA: *annotation*, **411**

Upadhyaya V *see* Nicholls G *et al*
Urbanowicz M *see* Carter CM *et al*
Uttley DA *see* Hughes-Benzie R *et al*
Uttley WS *see* Lin J-P and Uttley WS

Vale JA *see* Housley E *et al*
van de Weghe V *see* de Baets F *et al*
van Gijn J *see* Cremers MJG *et al*
van Steensel-Moll HA *see* Tissing WJE *et al*
Vega MA *see* Gilsanz F *et al*
Veligati N *see* Husain SM *et al*
Vergani D *see* Peakman M *et al*
Verloove-Vanhorick SP. When will my baby go home? *correspondence*, **543** *fn*
Vermeylen D *see* Wayenberg J-L *et al*
Versmold HT *see* Bauer K *et al*
Verstraete K *see* de Baets F *et al*
Visser HKA. Paediatrics in the Netherlands: challenges for today and tomorrow, **251**
Voss LD. Prepubertal height velocity references over a wide age range: *correspondence*, **170**

Wales JKH *see* Gibson AT *et al*
Walker-Smith JA *see* Latt TT *et al*
Walker V *see* Millar MR *et al*
Stansbridge EM *et al*
Walkinshaw SA *see* Taylor WG and Walkinshaw SA
Warde C *see* Connett GJ *et al*
Connett GJ *et al*
Waters KA *et al*. Breathing abnormalities in sleep in achondroplasia, **191**
Waterston A *see* Wright CM *et al*
Watson AR, Coleman JE. Dietary management in nephrotic syndrome: *annotation*, **179**
Watson S *see* Morris KP *et al*
Wayenberg J-L *et al*. Non-invasive measurement of intracranial pressure in the newborn and the infant: the Rotterdam teletransducer, **493** *fn*
Weaver LT *see* McClean P *et al*
Weindling AM *see* Gill AB and Weindling AM
Wennergren G *see* Kristjánsson S *et al*
West C *see* Pearson M *et al*
Wheeler RA *et al*. Urea kinetics in neonates receiving total parenteral nutrition, **24** *fn*
Urea salvage in a neonate with cloacal exstrophy, **83** *fn*
Whitehouse W. Cycle helmets: *correpsondence*, **171**
Whitelaw A *see* Bechensteen AG *et al*
Whittle MJ *see* Beattie RB and Whittle MJ
Wigfield RE *et al*. How much wrapping do babies need at night?, **181**
Wilcken B *et al*. Neonatal symptoms in medium chain acyl coenzyme A dehydrogenase deficiency, **292** *fn*
Wilkinson AR *see* Hristeva L *et al*
Wilkinson H, James J. Self limiting neonatal primary hyperparathyroidism associated with familial hypocalciuric hypercalcaemia, **319** *fn*
Williams AF. The effectiveness and side effects of dexamethasone in preterm infants with bronchopulmonary dysplasia: *correspondence*, **331** *fn*
Williams CB *see* Latt TT *et al*
Williams D *et al*. Screening a state middle school for asthma using the free running asthma screening test, **667**
Willis KD *see* Beath SV *et al*
Willshaw HE. Assessment of nystagmus: *annotation*, **102**
Wilson I *see* Williams D *et al*
Witt JM *see* Rikken B and Witt JM
Wolfe S *see* Brocklebank JT and Wolfe S
Woo P. Cytokines in childhood rheumatic diseases: *annotation*, **547**
see also David J *et al*
Wood CBS *see* Goodyear HM *et al*
Woodroffe C *see* Tatman MA and Woodroffe C
Wooler E *see* Connett GJ *et al*
Woollard J *see* Pearson M *et al*
Wraith JE *see* Cleary MA and Wraith JE
Wren C *see* Nicholson WR *et al*
Wright CM *et al*. Comparison of the use of Tanner and Whitehouse, NCHS, and Cambridge standards in infancy, **420**
Wright S *see* Esmail A *et al*

Yeates D *see* Henderson J *et al*
Yin J *see* Sung RYT *et al*
Yoshikawa T *see* Suga S *et al*
Young JD *see* Allman KG *et al*

VOLUME 69: SUBJECT INDEX

Abdominal pain, recurrent, management: *annotation*, **409**
Achondroplasia, breathing abnormalities in sleep, **191**
Acyclovir, oral, effect against primary and secondary viraemia in incubation period of varicella, **639**
Admissions to hospital, influence of homelessness, **423**
Adolescence, use of hospital inpatient care, **559**
Adoption, genetic disease, and DNA: *annotation*, **411**
AIDS, and cryptosporidiosis, bovine colostrum immunoglobulin concentrate for, **451**
Airway responsiveness, increased, in low birthweight children at school age, effect of topical corticosteroids, **120**
Alloimmune neutropenia, delayed umbilical cord separation: *correspondence*, **331** *fn*
Ambulatory blood pressure monitoring, **681**
Aminophylline and increased activity of peripheral chemoreceptors, newborn infants, **52** *fn*
Anaemia
and end stage renal failure, human recombinant erythropoietin, non-cardiac benefits, **580**
fetal, due to pyruvate kinase deficiency, **523** *fn*
Anaemia of prematurity, prevention, and erythropoietin, protein, and iron supplementation, **19** *fn*
Aneurysmal cyst of petrosal bone, **241**
Angelman's syndrome, communication development, **148**
Anorexia nervosa, early onset, normal gastric antral myoelectrical activity, **342**
Antenatal assessment of neurological impairment: *correspondence*, **542** *fn*
Antithrombin III deficiency, overtight nappy precipitating thrombosis, **599**
Asthma
acute, audit strategies to reduce hospital admissions, **202**
fluticasone propionate and beclomethasone dipropionate compared, **206**
and growth: *current topic*, **695**
screening a state middle school using free running asthma screening test, **667**
severe, 1-3 year olds, use of budesonide, **351**
Ataxia, progressive, and isolated vitamin E deficiency, **602**
Atlantoaxial distance in Down's syndrome, radiological assessment, **347**
Atopic eczema, psychosocial adjustment in preschool children, **670**
Attention deficit disorder, effects of a few food diet, **564**
Audit Commission study of hospital services – *Children First*: *annotation*, **173**
Audit
perinatal, how have recent changes in NHS affected? *current topic*, **322** *fn*
strategies to reduce hospital admissions for acute asthma, **202**
Australian NHMRC Twin Registry, resource for paediatric research: *correspondence*, **472**
Autoregulation and posture, **304** *fn*

Babyhaler inhaler, salbutamol, effects on wheezy infants, **125**
Bacterial meningitis, hearing assessment after: *correspondence*, **712**
Barbiturate coma, suppression of brainstem reflexes, **151**
BCG immunisation, percutaneous, neonatal, tuberculin reactivity after, **155**
BCG vaccination at birth, tuberculin response in preterm infants, **309** *fn*
Becker muscular dystrophy, unusual presentation, **158**
Beclomethasone dipropionate and fluticasone propionate compared in asthma, **206**
Bedclothing for babies, and thermoneutral conditions, **181**
Bedding, rebreathing expired gases from, cause of cot death? **187**: *correspondence*, **711**
Behaviour, snoring, and sleep disturbance in 4-5 year olds: *correspondence*, **265**
Blood pressure and heart rate, cyclical variation, neonates, **64** *fn*
Blood volume and systolic blood pressure, preterm infants, **521** *fn*
Body composition assessment: *annotation*, **337**
Bone marrow transplantation for sickle cell disease: *annotation*, **176**
Bone scanning, radionuclide: *regular review*, **160**
Bovine colostrum immunoglobulin concentrate for cryptosporidiosis in AIDS, **451**
Brain
biopsies, stereotactic techniques: *annotation*, **621**
impairment, detection by in utero behavioural patterns, **3** *fn*
inadvertent penetration during neonatal nasotracheal intubation, **79** *fn*
neonatal and adult, glycine site of NMDA receptor, **212**
Brainstem reflexes, suppression, in barbiturate coma, **151**
Breast feeding, age at start and postneonatal growth and survival, **134**
Breath test, stable isotope, for fat digestion measurement in early life, **366**
Breathing abnormalities in sleep in achondroplasia, **191**
British Paediatric Surveillance Unit study, 1988-90, galactosaemia, **339**
Bronchiolitis, acute, nebulised racemic adrenaline in treatment, infants and toddlers, **650**
Bronchoalveolar lavage fluid glutathione in intubated premature infants, **49** *fn*
Bronchocutaneous fistula associated with mechanical ventilation, **525** *fn*
Bronchopulmonary dysplasia, in preterm infants, dexamethasone, effectiveness and side effects: *correspondence*, **331** *fn*
Bronchoscopy, therapeutic, in ventilated neonates: *personal practice*, **533** *fn*
Budesonide
importance of inhalation device on effect, **130**
use in severe asthmatics aged 1-3 years, **351**

Calcium
intra-atrial infusions, growth, and development, in end organ resistance to vitamin D, **689**
ionised, concentration, measurement, neonates, **77** *fn*
Cambridge, Tanner and Whitehouse, and NCHS growth standards compared, **420**
Career in paediatrics, survey of paediatric senior house officers, England and Wales: *correspondence*, **472**
Carers, children as: *current topic*, **459**
Case conferences, parental participation
case against: *controversy*, **457**
case in favour: *controversy*, **455**
Cat scratch disease, cats in Connecticut: *Archivist*, **680**
Cerebral artery blood flow velocity, changes after intermittent CSF drainage, **74** *fn*
Cerebral blood flow velocity responses to changes in posture, neonatal, **304** *fn*
Cerebral venous thrombosis, neonatal: *Archivist*, **389**
Cerebrospinal fluid
drainage, intermittent, changes in cerebral artery blood flow velocity after, **74** *fn*
examination, value in meningitis diagnosis, newborn, **514** *fn*
'Chicken scratches', self inflicted, teenaged girls: *correspondence*, **408**
Child health surveillance for psychiatric disorder, practical guidelines, **394**
Children as carers: *current topic*, **459**
Children First, Audit Commission study of hospital services: *annotation*, **173**
Cloacal exstrophy, urea salvage, neonate, **83** *fn*
Clostridium difficile
after haemolytic uraemic syndrome, **239**
prolonged carriage in Hirschsprung's disease, **221**
Clove oil, near fatal ingestion, **392**
Coeliac disease, different features, two neighbouring countries, **375**
Cold chain, vaccines, monitoring, **600**
Computed tomography
and lumbar puncture, place in suspected bacterial meningitis: *correspondence*, **170**
with normal chest radiograph, in tuberculous infection, **430**
Congenital cytomegalovirus infection, symptomatic, in two consecutive sisters, **527** *fn*
Corticosteroids, topical, effect on airway responsiveness in low birth weight children at school age, **120**
Cot death
rebreathing expired gases from bedding as cause? **187**: *correspondence*, **711**
sleeping position for infants, Netherlands, 1985-91, **660**
Cows' milk and diabetes: *Archivist*, **268**
Crigler-Najjar syndrome type I, management with phototherapy crib mattress: *correspondence*, **470**
Crying in response to heel stab, effect of sucrose, **388**
Cryptosporidiosis in AIDS, bovine colostrum immunoglobulin concentrate for, **451**
Cryptosporidium: *Archivist*, **224**
Curosurf 4 trial, high and low dose compared, for respiratory distress syndrome, **276** *fn*
Cycle helmets: *correspondence*, **171**
Cyclical variation of blood pressure and heart rate, neonates, **64** *fn*

Cystic fibrosis
changes in nocturnal oximetry after treatment, **197**
fat digestion measurement in early life using a stable isotope breath test, **366**
identified by neonatal screening, incidence, genotype, and early natural history: *correspondence*, **470**
and liver cirrhosis: *correspondence*, **407**
presenting as kwashiorkor with florid skin rash, **446**
Cystic lesions, periventricular, duration in preterm infants and neurological outcome at 6 years of age, **9** *fn*
Cytokines in childhood rheumatic diseases: *annotation*, **547**
Cytomegalovirus infection, congenital, symptomatic, in two consecutive sisters, **527** *fn*

Data transformations: *statistics from the inside*, **260**
Deafness, sensorineural, after measles, mumps, and rubella immunisation, **153**
Dermatomyositis, juvenile, correlation of serum neopterin concentrations with disease activity, **232**
Developing countries, low cost technology for the newborn: *annotation*, **477** *fn*
Dexamethasone
effect of intravenous ranitidine on intragastric pH of preterm infants receiving, **37** *fn*
growth retardation after, assessment by knemometry, **505** *fn*
in preterm infants with bronchopulmonary dysplasia, effectiveness and side effects: *correspondence*, **331** *fn*
Diabetes
care in schools, can we improve, **450**
and cows' milk: *Archivist*, **268**
type 1, in identical twins, immunological studies: *annotation*, **97**
Diaphragmatic hernia
bilateral, congenital, delayed presentation of contralateral defect: *correspondence*, **543** *fn*
congenital, influence of associated malformations on survival, **68** *fn*
Diet, dietary
effect on infant subcutaneous tissue triglyceride fatty acids, **589**
few food, effects in attention deficit disorder, **564**
management, nephrotic syndrome: *annotation*, **179**
treatment of renal insufficiency: *regular review*, **704**
Discharge dates for preterm babies: *correspondence*, **543** *fn*
DNA, genetic disease, and adoption: *annotation*, **411**
Dobutamine and dopamine, response in hypotensive very preterm infant, **59** *fn*
Dopamine
and dobutamine, response in hypotensive very preterm infant, **59** *fn*
versus plasma protein fraction, in hypotensive very low birthweight infants, **284** *fn*
Doppler ultrasound, and fetal growth retardation: *annotation*, **271** *fn*
Down's syndrome, atlantoaxial distance, radiological assessment, **347**
Drowning, risk, for children with epilepsy: *coresondence*, **471**
Dual marker one day pancreolauryl test: *correspondence*, **471**
Duchenne dystrophy, occurrence in Klinefelter's syndrome, **453**

Eaters, problem, identification and management: *personal practice*, **604**
Ecstasy, toxicity, compared with alcohol: *Archivist*, **114**
Eczema, Chinese herbal treatment: *Archivist*, **147**
Empyema, thoracic, study of 56 patients, **587**
Encephalocele, nasal, nasal endotracheal intubation, premature infant, **81** *fn*
End organ resistance to vitamin D, intra-atrial calcium infusions, growth and development, **689**
End stage renal failure, and anaemia, human recombinant erythropoietin, non-cardiac benefits, **580**
Enteral feeding of premature infants with *Lactobacillus GG*, **483** *fn*
Epilepsy
in children, and risk of drowning: *correspondence*, **471**
partial, early detection of anormalities using MRI, **104**
Erythropoietin
protein, and iron supplementation, and prevention of anaemia of prematurity, **19** *fn*
recombinant human
for anaemia of prematurity, **19** *fn*
in end stage renal failure and anaemia, non-cardiac benefits, **580**
in preterm infants: *correspondence*, **542** *fn*
role in newborn: *annotation*, **273** *fn*
Exchange transfusion of the newborn, and Dr Alfred Hart (1888-1954) of Toronto: *perinatal lessons from the past*, **95** *fn*
Exomphalos, repair, inhaled nitric oxide for pulmonary hypertension after, **518** *fn*
Experimental glomerulonephritis, a decorous approach to treatment: *Archivist*, **380**

Fabricated illness (Munchausen syndrome by proxy), follow up of victims, **625**
Facial lesions, benign, and surgery: *correspondence*, **619**
Faecal fat excretion, in infancy, new method for determining, **138**
Failure to thrive, and transient hyperphosphatasaemia of infancy: *correspondence*, **470**
Fat digestion, measurement in early life using stable isotope breath test, **366**
Febrile convulsions, and HHV-6: *Archivist*, **360**
Feeding problems
identification and management: *personal practice*, **604**
in neurodevelopmental handicap, assessment, team approach: *personal practice*, **609**
Fetal activity, behaviour, and neurology, fact or fiction? *annotation*, **1** *fn*
Fetal echogenic gut, a marker of intrauterine gut ischaemia? **510** *fn*
Fetal growth retardation, and Doppler ultrasound: *annotation*, **271** *fn*
Few food diet, effects in attention deficit disorder, **564**
Flow cytometry, for rapid diagnosis of malignancy: *correspondence*, **170**
Fluticasone propionate and beclomethasone dipropionate compared in asthma, **206**
Fructose intolerance, hereditary, and iatrogenic deaths: *annotation*, **413**
Fulminant pulmonary hypertension, nitric oxide treatment, **449**

Galactosaemia, British Paediatric Surveillance Unit study, 1988-90, **339**
Gastric antral myoelectrical activity, normal, in early onset anorexia nervosa, **342**
Gastric antral obstruction, and prostaglandin E_1 infusion, newborn: *Archivist*, **387**
Gastric emptying, ultrasonic assessment, preterm infant, **32** *fn*
Gastroschisis, specialist centre delivery, is it beneficial? **71** *fn*
Genetic disease, DNA, and adoption: *annotation*, **411**
Glomerulonephritis, experimental, a decorous approach to treatment: *Archivist*, **380**
Glycine site of NMDA receptor in neonatal and adult brain, **212**
Granulomatous disease, chronic, resolution of hepatic abscess after interferon gamma, **443**
Group A beta haemolytic streptococcus, overwhelming sepsis presenting as sudden unexpected death, **381**
Group psychotherapy for children and adolescents, **244**
Growth
assessment in premature babies, knemometry, **498** *fn*
and asthma: *current topic*, **695**
and development, in end organ resistance to vitamin D, intra-atrial calcium infusions, **689**
retardation
after dexamethasone administration, assessment by knemometry, **505** *fn*
fetal, and Doppler ultrasound: *annotation*, **271** *fn*
standards, Tanner and Whitehouse, NCHS, and Cambridge compared, **420**
Growth screening programme, evaluation, Oxford district growth study, **361**
Gut fermentation, effects of feeding premature infants with *Lactobacillus GG*, **488** *fn*
Gut ischaemia, fetal echogenic gut as marker? **510** *fn*

$H_2{}^{18}O$, for total body water measurement, preterm babies in first week after birth, **28** *fn*
Haemangiomas, alarming, and interferon alpha-2a: *Archivist*, **124**
Haemolytic uraemic syndrome, *C. difficile* after, **239**
Haemophilus influenzae meningitis, national follow up: *correspondence*, **711**
Haemophilus influenzae type b disease, invasive, Oxford region (1985-91), **225**
Haemosiderosis, pulmonary, with fulminant pulmonary hypertension, nitric oxide treatment, **449**
Hair loss in children: *correspondence*, **407**
Hart, Dr Alfred (1888-1954), of Toronto, and exsanguination transfusion of the newborn: *perinatal lessons from the past*, **95** *fn*
Hearing, assessment after bacterial meningitis: *correspondence*, **712**
Heart rate and blood pressure, cyclical variation, neonates, **64** *fn*
Heel stab, crying in response to, effect of sucrose, **388**
Height velocity, prepubertal, references over wide age range: *correspondence*, **170**
Hepatic abscess
resolution after interferon gamma, in chronic granulomatous disease, **443**
in sickle cell anaemia, rare manifestation, **242**
Hepatic cholestasis, effect of rifampicin on pruritus, **141**
Hepatitis B infection, in sickle cell anaemia and beta-thalassaemia major, decline, **594**
Hepatoblastoma, extreme thrombocytosis as diagnostic clue: *correspondence*, **171**
Hereditary fructose intolerance, and iatrogenic deaths: *annotation*, **413**

Herpes virus-6, human, and febrile convulsions: *Archivist*, **360**
Hip deformation, mild, persistent, in preterm infants, **597**
Hippocrates (460-*c* 356 BC) and the founding of perinatal medicine: *perinatal lessons from the past*, **540** *fn*
Hirschsprung's disease, prolonged carriage of *C difficile*, **221**
Home care, paediatric, UK, **677**
Home dates for preterm babies: *correspondence*, **543** *fn*
Homelessness, influence on acute admissions to hospital, **423**
Hospital admissions for acute asthma, audit strategies to reduce, **202**
Human herpes virus-6 and febrile convulsions: *Archivist*, **360**
Hyperparathyroidism, primary, neonatal, self limiting, associated with familial hypocalciuric hypercalcaemia, **319** *fn*
Hyperphosphatasaemia of infancy, transient, and failure to thrive: *correspondence*, **470**
Hypertension, pulmonary, *see* Pulmonary hypertension
Hypocalciuric hypercalcaemia, familial, and self limiting neonatal primary hyperparathyroidism, **319** *fn*
Hypoglycaemia, malformations, and withdrawal manifestations, after valproate exposure in utero, **288** *fn*
Hypotensive very low birthweight infants, plasma protein fraction versus dopamine, **284** *fn*
Hypotensive very preterm infant, response to dobutamine and dopamine, **59** *fn*
Hypothyroidism, congenital, treated, increased plasma TSH, relation to severity of hypothyroidism, plasma thyroid hormone status, and daily dose of thyroxine, **555**

Iatrogenic deaths in hereditary fructose intolerance: *annotation*, **413**
Immunisations, primary, Liverpool
is there a gap between consent and completion? **115**
who withholds consent? **110**
Immunoglobulin concentrations, and severity of respiratory syncytial virus infections, **156**
Immunoglobulin G responses to mycobacterial antigens, development, **644**
Immunological studies on type 1 diabetes in identical twins: *annotation*, **97**
Infantile spasms: *regular review*, **614**
Inflammatory cells
in lungs of premature infants on first day of life, perinatal risk factors and origin of cells, **40** *fn*
pulmonary, in ventilated preterm infants, effect of surfactant treatment, **44** *fn*
Inguinal hernia, surgical treatment, regional anaesthesia, preterm babies: *annotation*, **623**
Injury epidemiology, emerging statistics and strategy: *correspondence*, **471**
Inpatient care, hospital, use in adolescence, **559**
Intensive care
length of stay, 800 g birthweight babies: *correspondence*, **543** *fn*
neonatal, training overseas graduates: *personal view*, **538** *fn*
Interferon alpha-2a
and 'alarming haemangiomas': *Archivist*, **124**
recombinant, for respiratory syncytial virus infection, **440**
Interferon gamma, in resolution of hepatic abscess, in chronic granulomatous disease, **443**
Intra-atrial calcium infusions, growth, and development, in end organ resistance to vitamin D, **689**
Intracranial pressure, in newborn and infant, non-invasive measurement, the Rotterdam teletransducer, **493** *fn*
Intussusception, pressure reduction: *correspondence*, **471**
Ionised calcium concentration, measurement, neonates, **77** *fn*
Iron supplementation, erythropoietin, and protein, and prevention of anaemia of prematurity, **19** *fn*
Ischaemia, gut, fetal echogenic gut as marker? **510** *fn*

James Spence Medallist 1993, Professor Dame June Lloyd, **333**

Kawasaki disease, management, British Isles, **631**
Klinefelter's syndrome, and occurrence of Duchenne dystrophy, **453**
Knemometry
and assessment of growth in premature babies, **498** *fn*
in assessment of growth retardation after dexamethasone administration, **505** *fn*
Kwashiorkor, with florid skin rash, cystic fibrosis presenting as, **446**

Labour, obstructed, and Dr Thomas Radford (1793-1881) of Manchester: *perinatal lessons from the past*, **327** *fn*
Lacerations and bruising, self inflicted, teenaged girls: *correspondence*, **408**
Lactobacillus GG
for enteral feeding of premature infants, **483** *fn*
feeding to premature infants, effects on gut fermentation, **488** *fn*
Length of stay, 800 g birthweight babies: *correspondence*, **543** *fn*
Leucocyte adhesion deficiency: *current topic*, **463**
Leukaemia, acute lymphoblastic
6-mercaptopurine toxicity during treatment, and congenital thiopurine methyltransferase deficiency, **577**
remission death, changing pattern, **550**
Liver cirrhosis, in cystic fibrosis: *correspondence*, **407**
Liver disease, nutritional support: *annotation*, **545**
Lloyd, Professor Dame June, James Spence Medallist 1993, **333**
Location and sleeping position, and sudden infant death syndrome, sociodemographic factors, **664**
Low cost technology for the newborn in developing countries: *annotation*, **477** *fn*
Lumbar puncture, and CT, place in suspected bacterial meningitis: *correspondence*, **170**

Magnetic resonance imaging, in tracheal compression by innominate artery, **390**
Malformations, withdrawal manifestations, and hypoglycaemia, after valproate exposure in utero, **288** *fn*
Malignancy, rapid diagnosis using flow cytometry: *correspondence*, **170**
Malonyl coenzyme A decarboxylase deficiency, **433**
Maternal diet, nitrosamines and medulloblastoma: *Archivist*, **643**
Measles, mumps, and rubella immunisation, sensorineural deafness after, **153**
Media publicity, early presentation of meningococcal disease after: *correspondence*, **711**
Medium chain acyl coenzyme A dehydrogenase deficiency, neonatal symptoms, **292** *fn*
Medulloblastoma, maternal diet, and nitrosamines: *Archivist*, **643**
Meningitis
bacterial
hearing assessment after: *correspondence*, **712**
suspected, place of CT and lumbar puncture: *correspondence*, **170**
diagnosis, value of CSF fluid examination, newborn, **514** *fn*
Haemophilus influenzae, national follow up: *correspondence*, **711**
neonatal, prospective surveillance, **14** *fn*
Meningococcal disease
early presentation after media publicity: *correspondence*, **711**
press publicity: *personal practice*, **166**
6-Mercaptopurine toxicity during treatment for ALL, and congenital thiopurine methyltransferase deficiency, **577**
Middle school, state, screening for asthma using free running asthma screening test, **667**
Morphine infusion in premature neonates, pharmacokinetics, **55** *fn*
MRCP (UK) Part 1 examination, new arrangements: *correspondence*, **266**
Mucopolysaccharidosis type III, management: *personal practice*, **403**
Munchausen syndrome: *correspondence*, **619**
Munchausen syndrome by proxy, follow up of victims, **625**
Muscle relaxants and sedatives, use in newborn babies receiving mechanical ventilation: *correspondence*, **544** *fn*
Myasthenia gravis, severe generalised, immunoadsorption plasmapheresis, **236**
Mycobacterial antigens, development of IgG responses, **644**
Mycobacterial infection, in inner city children's hospital, **229**
Mycoplasma pneumoniae infection and neurological disease, **573**

N-methyl-D-aspartate receptor, glycine site, neonatal and adult brain, **212**
Nappy, overtight, precipitating thrombosis, in antithrombin III deficiency, **599**
Nasal encephalocele, nasal endotracheal intubation, premature infant, **81** *fn*
Nasotracheal intubation, neonatal, inadvertent brain penetration during, **79** *fn*
National Center for Health Statistics (NCHS), Tanner and Whitehouse, and Cambridge growth standards compared, **420**
Nebuhaler or Turbuhaler for budesonide delivery, effect, **130**
Nebulised racemic adrenaline in treatment of acute bronchiolitis, infants and toddlers, **650**
Neonatal cerebral venous thrombosis: *Archivist*, **389**
Neonatal intensive care, training overseas graduates: *personal view*, **538** *fn*
Neonatal necrotising enterocolitis, surgical management: *annotation*, **269** *fn*
Neonatal respiratory distress syndrome: *correspondence*, **330** *fn*
Neopterin, serum concentrations, correlation with disease activity in juvenile dermatomyositis, **232**
Nephrocalcinosis, and urinary saturation, preterm infants, effect of parenteral nutrition, **299** *fn*
Nephrotic syndrome, dietary management: *annotation*, **179**
Netherlands, paediatrics, challenges for today and tomorrow, **251**
Neurodevelopmental handicap, feeding problems, assessment, team approach: *personal practice*, **609**

Neurological disease, and *Mycoplasma pneumoniae* infection, **573**
Neurological impairment, antenatal assessment: *correspondence*, **542** *fn*
Neurosurgery, paediatric, recent advances: *annotation*, **335**
Newborn, in developing countries, low cost technology: *annotation*, **477** *fn*
Nitric oxide
for fulminant pulmonary hypertension, **449**
inhaled, for pulmonary hypertension after repair of exomphalos, **518** *fn*
Nitrosamines, maternal diet, and medulloblastoma: *Archivist*, **643**
Nutritional support in liver disease: *annotation*, **545**
Nymphs and nerves: *Archivist*, **620**
Nystagmus, assessment: *annotation*, **102**

Obstructed labour, and Dr Thomas Radford (1793-1881) of Manchester: *perinatal lessons from the past*, **327** *fn*
Omeprazole, and high dose ranitidine, in refractory reflux oesophagitis, **655**
Ondine's curse, of nymphs and nerves: *Archivist*, **620**
Outcome for very low birthweight infants, annual audit, 3 years, **295** *fn*
Overseas graduates, training in neonatal intensive care: *personal view*, **538** *fn*
Oxford district growth screening programme, evaluation, **361**
Oximetry, nocturnal, changes after treatment in cystic fibrosis, **197**

Paediatric home care, UK, **677**
Paediatric neurosurgery, recent advances: *annotation*, **335**
Paediatrics, career, survey of paediatric senior house officers, England and Wales: *correspondence*, **472**
Pain
control, pre- and postoperative: *personal practice.*, **699**
in sickling disorders, practical management: *personal practice*, **256**
Pancreatic exocrine function, assessment: *annotation*, **99**
Pancreolauryl test, dual marker, one day: *correspondence*, **471**
Paralysis, routine versus selective, during ventilation for neonatal respiratory distress syndrome, randomised trial, **479** *fn*
Parasuicide in teenaged girls: *correpsondence*, **408**
Parental participation in case conferences
case against: *controversy*, **457**
case in favour: *controversy*, **455**
Parenteral nutrition
early or late, for sick preterm infant, **281** *fn*
effect on urinary saturation and nephrocalcinosis in preterm infants, **299** *fn*
Patent ductus arteriosus, in the newborn: *current topic*, **529** *fn*
Perinatal audit, how have recent changes in NHS affected? *current topic*, **322** *fn*
Perinatal care in developing countries: *annotation*, **477** *fn*
Perinatal risk factors, and inflammatory cells in lungs of premature infants on first day of life, **40** *fn*
Peripheral chemoreceptors, increased activity, and aminophylline, newborn infants, **52** *fn*
Periventricular densities, duration in preterm infants and neurological outcome at 6 years of age, **9** *fn*
Petrosal bone, aneurysmal cyst, **241**
pH, intragastric, of preterm infants receiving dexamethasone, effect of intravenous ranitidine, **37** *fn*
Phototherapy crib mattress, for management of Crigler-Najjar syndrome type I: *correspondence*, **470**
Physically handicapped school leavers: *current topic*, **399**
Plasma protein fraction, versus dopamine, in hypotensive very low birthweight infants, **284** *fn*
Plasmapheresis, immunoadsorption, for severe generalised myasthenia gravis, **236**
Pneumococcal infection in newborn, **317** *fn*
Poisoning, in preschool children: *Archivist*, **419**
Polyarteritis nodosa, associated with streptococcus, **685**
Polyps, and rectal bleeding, colonoscopy, **144**
Postoperative pain control: *personal practice*, **699**
Posture changes, neonatal CBFV responses, **304** *fn*
Prednisolone, oral once a day, and continuous nebulised salbutamol, in status asthmaticus, **416**
Pregnancy, and varicella zoster virus infection: *correspondence*, **330** *fn*
Preoperative pain control: *personal practice*, **699**
Prepubertal height velocity references over wide age range: *correspondence*, **170**
Press publicity in meningococcal disease: *personal practice*, **166**
Pressure reduction of intussusception: *correspondence*, **471**
Preterm babies, when will my baby go home? *correspondence*, **543** *fn*
Preterm infant
with bronchopulmonary dysplasia, dexamethasone, effectiveness and side effects: *correspondence*, **331** *fn*
sick, early or late parenteral nutrition? **281** *fn*
skin disinfection, **312** *fn*
tuberculin response after BCG vaccination at birth, **309** *fn*
urinary saturation and nephrocalcinosis, effect of parenteral nutrition, **299** *fn*
Problem eaters, identification and management: *personal practice*, **604**
Problem lists, use by paediatricians when writing to GPs: *correspondence*, **265**
Prostaglandin E_1 infusion in newborn, and gastric antral obstruction: *Archivist*, **387**
Protein, erythropoietin, and iron supplementation, and prevention of anaemia of prematurity, **19** *fn*
Protein S deficiency, acquired: *correspondence*, **265**
Pruritus in hepatic cholestasis, effect of rifampicin, **141**
Psychiatric disorder, child health surveillance, practical guidelines, **394**
Psychosocial adjustment in preschool children with atopic eczema, **670**
Psychotherapy, group, for children and adolescents, **244**
Puberty and spermaturia, **384**
Pulmonary hypertension
after repair of exomphalos, inhaled nitric oxide, **518** *fn*
fulminant, nitric oxide treatment, **449**
Pulmonary inflammatory cells
premature infants on first day of life, perinatal risk factors and origin of cells, **40** *fn*
in ventilated preterm infants, effect of surfactant treatment, **44** *fn*
Pyruvate kinase deficiency, and fetal anaemia, **523** *fn*

Racemic adrenaline, nebulised, in treatment of acut bronchiolitis, infants and toddlers, **650**
Radford, Dr Thomas, of Manchester (1793-1881), and obstructed labour: *perinatal lessons from the past*, **327** *fn*
Radionuclide bone scanning: *regular review*, **160**
Ranitidine
high dose, and omeprazole, in refractory reflux oesophagitis, **655**
in infants: *correspondence*, **544** *fn*
intravenous, effect on intragastric pH of preterm infants receiving dexamethasone, **37** *fn*
Rebreathing expired gases from bedding, cause of cot death? **187**: *correspondence*, **711**
Recombinant human erythropoietin
for anaemia of prematurity, **19** *fn*
in end stage renal failure and anaemia, non-cardiac benefits, **580**
in preterm infants: *correspondence*, **542** *fn*
Recombinant interferon alfa-2a, for respiratory syncytial virus infection, **440**
Rectal bleeding and polyps, colonoscopy, **144**
Rectal temperature, raised, screening, Africa, **437**
Reflux oesophagitis, refractory, omeprazole and high dose ranitidine, **655**
Regional anaesthesia for surgical treatment of inguinal hernia in preterm babies: *annotation*, **623**
Remission death in ALL, changing pattern, **550**
Renal insufficiency, dietary treatment: *regular review*, **704**
Respiratory distress syndrome
high and low dose surfactant compared, Curosurf 4 trial, **276** *fn*
neonatal: *correspondence*, **330** *fn*
neonatal, routine versus selective paralysis during ventilation, randomised trial, **479** *fn*
Respiratory rate measured by thermistry (12-84 months), reference ranges, **569**
Respiratory syncytial virus infection
severity, and immunoglobulin concentrations, **156**
treatment with recombinant interferon alfa-2a, **440**
Rheumatic diseases, childhood, cytokines: *annotation*, **547**
Rifampicin, effect in pruritus in hepatic cholestasis, **141**
Right heart pressure determination by Doppler in infants with tricuspid regurgitation, **216**
Rotterdam teletransducer, for non-invasive measurement of intracranial pressure in newborn and infant, **493** *fn*

Salbutamol
continuous nebulised, and oral once a day prednisolone, in status asthmaticus, **416**
metered dose inhaler and valved spacer delivery to wheezy infants, effects, **125**
School leavers, physically handicapped: *current topic*, **399**
Screening, neonatal, for cystic fibrosis, incidence, genotype, and early natural history: *correspondence*, **470**
Sedatives and muscle relaxants, use in newborn babies receiving mechanical ventilation: *correspondence*, **544** *fn*
Sensorineural deafness, after measles, mumps, and rubella immunisation, **153**
Sepsis, overwhelming, presenting as sudden unexpected death, **381**
Sickle cell anaemia
decline in hepatitis B infection, **594**
hepatic abscess a rare manifestation, **242**
Sickle cell disease, bone marrow transplantation: *annotation*, **176**
Sickling disorders, practical management of pain: *personal practice*, **256**
Skin disinfection, preterm infants, **312** *fn*

Sleep disturbance, snoring, and behaviour in 4-5 year olds: *correspondence*, **265**
Sleeping position
for infants, and cot death, Netherlands, 1985-91, **660**
and location, and sudden infant death syndrome, sociodemographic factors, **664**
Snoring, sleep disturbance, and behaviour in 4-5 year olds: *correspondence*, **265**
Sodium intake and preterm babies: *current topic*, **87** *fn*
Spacer device, optimum use, **693**
Spasms, infantile: *regular review*, **614**
Spermaturia and puberty, **384**
Spinal cord birth injury, diagnostic difficulties: *personal practice*, **92** *fn*
Startle disease: *Archivist*, **264**
Status asthmaticus, continuous nebulised salbutamol and oral once a day prednisolone, **416**
Stereotactic techniques for brain biopsies: *annotation*, **621**
Streptococcus, and polyarteritis nodosa, **685**
Streptococcus pneumoniae, overwhelming sepsis presenting as sudden unexpected death, **381**
Substance, volatile, abuse, in those under 18 years, deaths from, national epidemiological study, **356**
Sucrose, effect on crying in response to heel stab, **388**
Sudden infant death syndrome, sleeping position and location, sociodemographic factors, **664**
Sudden unexpected death, overwhelming sepsis presenting as, **381**
Suicide in teenaged girls: *correpsondence*, **408**
Surfactant regimens, high and low dose compared, for respiratory distress syndrome, Curosurf 4 trial, **276** *fn*
Surfactant treatment, effect on pulmonary inflammatory cells in ventilated preterm infants, **44** *fn*
Surgery and benign facial lesions: *correspondence*, **619**
Systolic blood pressure and blood volume in preterm infants, **521** *fn*

Tanner and Whitehouse, NCHS, and Cambridge growth standards compared, **420**
Teletransducer, Rotterdam, for non-invasive measurement of intracranial pressure in newborn and infant, **493** *fn*
Thalassaemia-beta major, decline in hepatitis B infection, **594**
Thermistry, for respiratory rate measurement, reference ranges, 12-84 months, **569**
Thiopurine methyltransferase deficiency, congenital, and 6-mercaptopurine toxicity, during treatment for ALL, **577**
Thoracic empyema, study of 56 patients, **587**
Thrombocytosis
extreme, as diagnostic clue to hepatoblastoma: *correspondence*, **171**
secondary: *correspondence*, **170**
Thrombosis, precipitated by overtight nappy, in antithrombin III deficiency, **599**
Thyroid stimulating hormone, plasma, increased, in treated congenital hypothyroidism, relation to severity of hypothyroidism, plasma thyroid hormone status, and daily dose of thyroxine, **555**
Total parenteral nutrition, urea kinetics in neonates receiving, **24** *fn*
Tracheal compression by innominate artery, MRI, **390**
Training overseas graduates in neonatal intensive care: *personal view*, **538** *fn*
Transfusion, exsanguination, of the newborn, and Dr Alfred Hart (1888-1954) of Toronto: *perinatal lessons from the past*, **95** *fn*
Transient hyperphosphatasaemia of infancy, and failure to thrive: *correspondence*, **470**
Tricuspid regurgitation, right heart pressure determination by Doppler, infants, **216**
Triglyceride fatty acids, subcutaneous tissue, infant, effect of diet, **589**
Tuberculin reactivity after neonatal percutaneous BCG immunisation, **155**
Tuberculin response in preterm infants after BCG vaccination at birth, **309** *fn*
Tuberculosis
childhood, in inner city children's hospital, **229**
in infants less than 3 months of age, **371**
Tuberculous infection, CT with normal chest radiograph, **430**
Turbuhaler or Nebuhaler for budesonide delivery, effect, **130**
Turner's syndrome, and chromosome Y: *Archivist*, **654**
Twin Registry, Australian NHMRC, resource for paediatric research: *correspondence*, **472**

Umbilical cord separation, delayed, in alloimmune neutropenia: *correspondence*, **331** *fn*
Urea kinetics in neonates receiving total parenteral nutrition, **24** *fn*
Urea salvage in neonate with cloacal exstrophy, **83** *fn*
Urinary saturation, and nephrocalcinosis, preterm infants, effect of parenteral nutrition, **299** *fn*
Urine collection in infants, method, **85** *fn*
Urodynamic studies, value: *annotation*, **177**

Vaccine cold chain, monitoring, **600**
Valproate, exposure in utero, malformations, withdrawal manifestations, and hypoglycaemia after, **288** *fn*
Valved spacer delivery of salbutamol to wheezy infants, effects, **125**
Varicella, effect of oral acyclovir against primary and secondary viraemia in incubation period, **639**
Varicella zoster virus infection, in pregnancy: *correspondence*, **330** *fn*
Venous thrombosis, cerebral, neonatal: *Archivist*, **389**
Ventilation
mechanical
and bronchocutaneous fistula, **525** *fn*
newborn babies, use of sedatives and muscle relaxants: *correspondence*, **544** *fn*
for neonatal respiratory distress syndrome, routine versus selective paralysis during, randomised trial, **479** *fn*
therapeutic bronchoscopy, neonate: *personal practice*, **533** *fn*
Very low birthweight infants
hypotensive, plasma protein fraction versus dopamine, **284** *fn*
three year outcome, annual audit, **295** *fn*
Viraemia, primary and secondary, in incubation period of varicella, effect of oral acyclovir, **639**
Visually impaired, young, helping, view from the community: *personal practice*, **467**
Vitamin D, end organ resistance, intra-atrial calcium infusions, growth and development, **689**
Vitamin E deficiency, isolated, and progressive ataxia, **602**
Volatile substance abuse, in those under 18 years, deaths from, national epidemiological study, **356**

Water, total body, $H_2{}^{18}O$ for measurement, preterm babies in first week after birth, **28** *fn*
Withdrawal manifestations, malformations, and hypoglycaemia, after valproate exposure in utero, **288** *fn*
Wrapping babies at night, and thermoneutral conditions, **181**

Y chromosome in Turner's syndrome: *Archivist*, **654**
Young visually impaired, helping, view from the community: *personal practice*, **467**